

# Technical Data sheet

➤ MATERIAL SPECIFICATION SHEET ◀				
REF.	17 gsm U.V. STABILIZED			
DESCRIPTION	Spunbonded nonwoven 100% PP			
USE	Agriculture			
Data	2016			
TEST	UNIT	TARGET	TOLERANCE	TEST METHOD
GRAMMAGE	g/m <sup>2</sup>	17	± 2	ERT 40.3-90
ROLL LENGTH	MTL	-	-	-
CORE INNER Ø	INCH	-	-	-
ROLL WIDTH	MM	-	-	-
Tensile Strength MD	N/50mm	33	> 26	ERT 20.2-89
ELONGATION MD	%	50	± 15	
ELONGATION @10N	%	5,5	± 2	
Tensile Strength CD	N/50mm	31	> 24	
ELONGATION CD	%	60	± 15	
TEAR STRENGTH MD/CD	N	16	> 13	ERT 70.4-99
ERT = Edana Recommended test method				